

FOURTEEN (14) PANEL DRUG SCREEN INCLUDING FENTANYL, K2 , AND ALCOHOL

DESCRIPTION

When it comes to drug testing, there are a wide variety of tests and panels that are available. Often multiple drugs or substances are grouped together for testing to simplify and speed up the testing process, as it is easier than testing each drug one at a time. When a new drug needs to be tested, it is usually easier to add that substance to an already existing panel, and thus provide more benefit and information to those being tested.

Fentanyl is a synthetic drug that was originally created to mimic other opioids and produce a morphine-like effect. Pharmaceutical fentanyl is 50-100 times stronger than morphine or heroin and was initially used to help cancer patients control their pain. This medication can be easily absorbed through a variety of means including patches, injections, lozenges, etc. Additionally, because of its potency, fentanyl is often mixed with or used to “cut” other drugs to provide an additional effect. This has been seen in street drugs like heroin, cocaine, methamphetamine, and ecstasy. Use of substances like this poses a higher risk for unintentional fentanyl exposure, which may result in serious harm or death.

Using a standard oral fluid sample collected at our store location, Any Lab Test Now offers rapid screening for fentanyl in oral fluid as part of a broader panel that includes 14 classes of commonly abused and misused drugs or their metabolites. Fentanyl use can be detected in oral fluid for up to 36 hours after exposure. A positive result for fentanyl is considered suggestive of use in that timeframe.

This rapid test is intended for the qualitative detection of the following:

- Amphetamines
- Barbiturates
- Benzodiazepines
- Buprenorphine
- Cocaine
- Opiates
- Fentanyl
- K2 (Spice)
- Marijuana
- Methadone
- Oxycodone
- PCP
- Alcohol

WHY DO I NEED THIS TEST?

For Consumers:

This test is recommended for consumers who are concerned about suspected abuse or misuse of any of the listed drugs by a friend or family member, including teenagers. Individuals who think they may have been unknowingly given a drug should also consider this test.

Employers and Staffing Agencies:

The Fourteen (14) Panel Drug Screen Including Fentanyl, K2 and Alcohol is NOT RECOMMENDED for employer testing purposes.

WHAT DO I NEED TO DO TO PREPARE?

Refrain from eating, drinking, smoking, or chewing gum for 10 minutes prior to the test.

CAN I TAKE THIS TEST IF I AM PREGNANT?

Yes

WILL A CERTAIN FOOD/DRINK ALTER THE TEST AND MAKE IT APPEAR POSITIVE?

No.

HOW LONG WILL IT TAKE TO GET MY RESULTS?

Results are available within minutes of providing the specimen.

IS A DOCTOR'S ORDER REQUIRED?

No.

IF I HAVE QUESTIONS ABOUT MY RESULTS, WHO CAN I CONTACT?

Drug testing results are best discussed with your physician.

WRITTEN BY:

EKAN ESSIEN, MD, MPH MEDICAL DIRECTOR

Ekan Essien, MD, MPH, a native Georgian, received his BA from Duke University. Dr. Essien continued his education at Florida A&M University where he received his Masters of Public Health in Epidemiology; received his medical degree from Meharry Medical College in Nashville, Tennessee; and obtained training in general and trauma surgery at Grady Memorial Hospital at Morehouse School of Medicine. He is a candidate in the post graduate fellowship in anti-aging and regenerative medicine from the American Academy of Anti-Aging Medicine.